

## Community Creation Management

### Summary

Community creation component provides the function to create the community and to manage the property information for the community registered.

### Description

Management for community is provided through separate management menu. Some functions are provided through relevant management menu, but community management function can be handled with the management function available in the community.

### Package Dependency

Community package has direct functional dependency to the common package (cmm) of element technology, format/calculation/conversion package, common function(com) package of cooperation, board package and society package. However, it forms the deployment file together with design template, system(sim) and calendar package according to dependency between packages so as to be executed without error during component deployment.

- Package Dependency: [Board, Community, Society Package Dependency](#)

### Related Source

Type	Source	Remarks
Controller	egovframework.com.cop.cmy.EgovCommunityManageController.java	Controller class for community management
Service	egovframework.com.cop.cmy.service.EgovCommunityManageService.java	Service interface for community management
ServiceImpl	egovframework.com.cop.cmy.service.impl.EgovCommunityManageServiceImpl.java	Service implementation class for community management
Model	egovframework.com.cop.cmy.service.Community.java	Model class for community management
VO	egovframework.com.cop.cmy.service.CommunityVO.java	VO class for community management
DAO	egovframework.com.cop.cmy.service.impl.CommunityManageDAO.java	Data processing class for community management
JSP	/WEB-INF/jsp/egovframework/com/cop/cmy/EgovCmmntyList.jsp	jsp page for community inquiry
JSP	/WEB-INF/jsp/egovframework/com/cop/cmy/EgovCmmntyRegist.jsp	Registration jsp page for community creation
JSP	/WEB-INF/jsp/egovframework/com/cop/cmy/EgovCmmntyUpdt.jsp	jsp page for update of community information
JSP	/WEB-INF/jsp/egovframework/com/cop/cmy/EgovCmmntyInquire.jsp	jsp page for community detail inquiry
JSP	/WEB-INF/jsp/egovframework/com/cop/com/EgovUserListPop.jsp	jsp page for

		common processing(administrator inquiry)
JSP	/WEB-INF/jsp/egovframework/com/cop/cmy/EgovTemplateInquirePopup.jsp	jsp page for template inquiry
Query XML	resources/egovframework/sqlmap/com/cop/cmy/EgovCmmnty_SQL_Mysql.xml	MySQL based Query for community management
Query XML	resources/egovframework/sqlmap/com/cop/cmy/EgovCmmnty_SQL_Oracle.xml	Oracle based Query for community management
Query XML	resources/egovframework/sqlmap/com/cop/cmy/EgovCmmnty_SQL_Tibero.xml	Tibero based Query for community management
Query XML	resources/egovframework/sqlmap/com/cop/cmy/EgovCmmnty_SQL_Altibase.xml	Altibase based Query for community management
Validator Rule XML	resources/egovframework/validator/validator-rules.xml	XML defining Validator Rule
Validator XML	resources/egovframework/validator/com/cop/cmy/EgovCmmntyRegister.xml	Validator XML for community management
Idgen XML	resources/egovframework/spring/context-idgen.xml	Id generation Idgen XML for community management

## Class Diagram

```

«Controller»
EgovCommunityManageController

- bbsAttrbService: EgovBBSAttributeManageService
- bbsMngService: EgovBBSManageService
- beanValidator: DefaultBeanValidator
- clubService: EgovClubManageService
- cmmntyService: EgovCommunityManageService
- confmService: EgovConfirmManageService
- log: Logger = Logger.getLogge...
# propertyService: EgovPropertyService

+ addCmmntyInf(CommunityVO, ModelMap) : String
+ deleteCmmntyUserBySelf(CommunityUser, ModelMap) : String
+ forUpdateCmmntyInf(CommunityVO, Map<String, Object>, ModelMap) : String
+ insertCmmntyInf(CommunityVO, Community, BindingResult, SessionStatus, ModelMap) : String
+ insertCmmntyUserBySelf(CommunityUser, ModelMap) : String
+ previewCmmntyMainContents(CommunityVO, ModelMap) : String
+ previewCmmntyMainPage(CommunityVO, ModelMap) : String
+ selectCmmntyInf(CommunityVO, ModelMap) : String
+ selectCmmntyInfs(CommunityVO, ModelMap) : String
+ selectCmmntyInfsByPop(CommunityVO, ModelMap) : String
+ selectCmmntyListPortlet(CommunityVO, ModelMap) : String
+ selectCmmntyMainContents(CommunityVO, ModelMap) : String
+ selectCmmntyMainPage(CommunityVO, ModelMap) : String
+ updCmmntyInf(CommunityVO, Community, BindingResult, SessionStatus, ModelMap) : String
    
```

```

Serializable
«model»
Community

- cmmntyId: String = ""
- cmmntyIntrcn: String = ""
- cmmntyNm: String = ""
- emptyYrd: String = ""
- frstRegisterId: String = ""
- frstRegisterPnttm: String = ""
- lastUpdusrId: String = ""
- lastUpdusrPnttm: String = ""
- registSeCode: String = ""
- tmplatId: String = ""
- tmplatNm: String = ""
- useAt: String = ""
- userNm: String = ""

+ getCmmntyId() : String
+ getCmmntyIntrcn() : String
+ getCmmntyNm() : String
+ getEmptyYrd() : String
+ getFrstRegisterId() : String
+ getFrstRegisterPnttm() : String
+ getLastUpdusrId() : String
+ getLastUpdusrPnttm() : String
+ getRegistSeCode() : String
+ getTmplatId() : String
+ getTmplatNm() : String
+ getUserAt() : String
+ getUserNm() : String
+ setCmmntyId(String) : void
+ setCmmntyIntrcn(String) : void
+ setCmmntyNm(String) : void
+ setEmptyYrd(String) : void
+ setFrstRegisterId(String) : void
+ setFrstRegisterPnttm(String) : void
+ setLastUpdusrId(String) : void
+ setLastUpdusrPnttm(String) : void
+ setRegistSeCode(String) : void
+ setTmplatId(String) : void
+ setTmplatNm(String) : void
+ setUserAt(String) : void
+ setUserNm(String) : void
+ toString() : String
    
```

```

«Service»
EgovCommunityManageService

+ checkCommunityUserInf(CommunityUser) : String
+ deleteCommunityInf(Community) : void
+ deleteCommunityUserInf(CommunityUser) : void
+ insertCommunityBBSUseInf(BoardUseInf) : void
+ insertCommunityInf(Community) : void
+ insertCommunityUserInf(CommunityUser) : String
+ isManager(CommunityUser) : boolean
+ selectAllCmmnty(CommunityVO) : List<CommunityVO>
+ selectCmmntyListPortlet(CommunityVO) : List<CommunityVO>
+ selectCmmntyTemplat(CommunityVO) : String
+ selectCommunityBBSUseInf(CommunityVO) : List<CommunityVO>
+ selectCommunityInf(CommunityVO) : Map<String, Object>
+ selectCommunityInfs(CommunityVO) : Map<String, Object>
+ selectCommunityUserInfs(CommunityUserVO) : Map<String, Object>
+ selectManager(CommunityVO) : CommunityUser
+ updateCommunityBBSUseInf(BoardUseInf) : void
+ updateCommunityInf(Community) : void
+ updateCommunityUserInf(CommunityUser) : void
    
```

```

AbstractServiceImpl
«ServiceImpl»
EgovCommunityManageServiceImpl

- bbsAttrbService: EgovBBSAttributeManageService
- bbsUseService: EgovCmyBBSUseInfoManageService
- cmmntyDAO: CommunityManageDAO
- idgenService: EgovIdGnrService
- log: Logger = Logger.getLogge...

+ checkCommunityUserInf(CommunityUser) : String
+ deleteCommunityInf(Community) : void
+ deleteCommunityUserInf(CommunityUser) : void
+ insertCommunityBBSUseInf(BoardUseInf) : void
+ insertCommunityInf(Community) : void
+ insertCommunityUserInf(CommunityUser) : String
+ isManager(CommunityUser) : boolean
+ makeBdMstrListforCmmnty(Community) : List<BoardMaster>
+ selectAllCmmnty(CommunityVO) : List<CommunityVO>
+ selectCmmntyListPortlet(CommunityVO) : List<CommunityVO>
+ selectCmmntyTemplat(CommunityVO) : String
+ selectCommunityBBSUseInf(CommunityVO) : List<CommunityVO>
+ selectCommunityInf(CommunityVO) : Map<String, Object>
+ selectCommunityInfs(CommunityVO) : Map<String, Object>
+ selectCommunityUserInfs(CommunityUserVO) : Map<String, Object>
+ selectManager(CommunityVO) : CommunityUser
+ updateCommunityBBSUseInf(BoardUseInf) : void
+ updateCommunityInf(Community) : void
+ updateCommunityUserInf(CommunityUser) : void
    
```

```

«Dao»
EgovAbstractDAO
CommunityManageDAO

+ checkExistUser(CommunityUser) : int
+ deleteAllCommunityUserInf(CommunityUser) : void
+ deleteCommunityInf(Community) : void
+ deleteCommunityUserInf(CommunityUser) : void
+ insertCommunityBBSUseInf(BoardUseInf) : void
+ insertCommunityInf(Community) : void
+ insertCommunityUserInf(CommunityUser) : void
+ selectAllCmmnty(CommunityVO) : List<CommunityVO>
+ selectCmmntyListPortlet(CommunityVO) : List<CommunityVO>
+ selectCmmntyTemplat(CommunityVO) : String
+ selectCommunityBBSUseInf(CommunityVO) : List<CommunityVO>
+ selectCommunityInf(CommunityVO) : CommunityVO
+ selectCommunityInfs(CommunityVO) : List<CommunityVO>
+ selectCommunityInfsCnt(CommunityVO) : int
+ selectCommunityManagerInfs(CommunityVO) : List<CommunityUser>
+ selectCommunityUserInfs(CommunityUserVO) : List<CommunityUserVO>
+ selectCommunityUserInfsCnt(CommunityUserVO) : int
+ selectSingleCommunityUserInf(CommunityUser) : CommunityUser
+ updateCommunityBBSUseInf(BoardUseInf) : void
+ updateCommunityInf(Community) : void
+ updateCommunityUserInf(CommunityUser) : void
    
```

```


Serializable
«Vo»
CommunityVO

- bbsId: String = ""
- bbsNm: String = ""
- firstIndex: int = 1
- frstRegisterNm: String = ""
- lastIndex: int = 1
- pageIndex: int = 1
- pageSize: int = 10
- pageUnit: int = 10
- provdUrl: String = ""
- recordCountPerPage: int = 10
- registSeCodeNm: String = ""
- rowNo: int = 0
- searchBgnDe: String = ""
- searchCnd: String = ""
- searchEndDe: String = ""
- searchUseYn: String = ""
- searchWrdr: String = ""
- sortOrdr: long = 0L

+ getBbsId() : String
+ getBbsNm() : String
+ getFirstIndex() : int
+ getFrstRegisterNm() : String
+ getLastIndex() : int
+ getPageIndex() : int
+ getPageSize() : int
+ getPageUnit() : int
+ getProvdUrl() : String
+ getRecordCountPerPage() : int
+ getRegistSeCodeNm() : String
+ getRowNo() : int
+ getSearchBgnDe() : String
+ getSearchCnd() : String
+ getSearchEndDe() : String
+ getSearchUseYn() : String
+ getSearchWrdr() : String
+ getSortOrdr() : long
+ setBbsId(String) : void
+ setBbsNm(String) : void
+ setFirstIndex(int) : void
+ setFrstRegisterNm(String) : void
+ setLastIndex(int) : void
+ setPageIndex(int) : void
+ setPageSize(int) : void
+ setPageUnit(int) : void
+ setProvdUrl(String) : void
+ setRecordCountPerPage(int) : void
+ setRegistSeCodeNm(String) : void
+ setRowNo(int) : void
+ setSearchBgnDe(String) : void
+ setSearchCnd(String) : void
+ setSearchEndDe(String) : void
+ setSearchUseYn(String) : void
+ setSearchWrdr(String) : void
+ setSortOrdr(long) : void
+ toString() : String
    
```

-cmmntyService

-cmmntyDAO



## ID Generation

### ID Generation Related DDL and DML

- To utilize ID Generation Service, **CMMNTY\_ID** is added to the Sequence storage table, COMTECOPSEQ.

```
CREATE TABLE COMTECOPSEQ ( table_name varchar(16) NOT NULL,  
                           next_id DECIMAL(30) NOT NULL,  
                           PRIMARY KEY (table_name));
```

```
INSERT INTO COMTECOPSEQ VALUES('CMMNTY_ID','0');
```

### ID Generation Configuration(context-idgen.xml)

```
<bean name="egovCmmntyIdGnrService"  
      class="egovframework.rte.fdl.idgnr.impl.EgovTableIdGnrService"  
      destroy-method="destroy">  
  <property name="dataSource" ref="egov.dataSource" />  
  <property name="strategy" ref="cmmntyStrategy" />  
  <property name="blockSize" value="10"/>  
  <property name="table" value="COMTECOPSEQ"/>  
  <property name="tableName" value="CMMNTY_ID"/>  
</bean>  
<bean name="cmmntyStrategy"  
      class="egovframework.rte.fdl.idgnr.impl.strategy.EgovIdGnrStrategyImpl">  
  <property name="prefix" value="CMMNTY_" />  
  <property name="cipers" value="13" />  
  <property name="fillChar" value="0" />  
</bean>
```

### Related Table

Table Name	Table Name (English)	Remarks
Community Property	COMTNCMMNTY	Manage property information of community.
Community User	COMTNCMMNTYUSER	Manage community user.
Template	COMTNTMPLATINFO	Manage template.

### Related Function

Community creation management is composed of **community list inquiry, community creation, community detail inquiry, community update, template inquiry popup, user inquiry popup function.**

### Community List Inquiry

#### Business Rule

It is the function to inquire community list and the condition of search is implemented by community name. Community list is is inquired by 10 items per page. The paging consists of 10 pages.

#### Related Codes

N/A

#### Screen and execution manual

Action	URL	Controller method	QueryID
List Inquiry	/cop/cmy/selectCmmntyInfs.do	selectCmmntyInfs	"CommunityManageDAO.selectCommunityInfs",
			"CommunityManageDAO.selectCommunityInfsCnt"

To change the scope of search per page, change pageUnit, pageSize of context-properties.xml file.(provided, however, that relevant setting affects the overall common service function.)

번호	커뮤니티명	생성자	생성일	사용여부
1	테스트 커뮤니티	김길동	2009-01-22	사용
2	동호회생성 테스트 커뮤니티	김길동	2009-01-22	사용
3	게시판 연동테스트 커뮤니티	김길동	2009-01-22	사용

Register: to create new community, move to **Create Community** screen to the Register button on the top.

Click the List: click the relevant community name to move to **Community Detail Inquiry** screen.

## Community Creation

### Business Rule

Create community after entering the property information of community. When creation is successfully terminated, move to **Community List Inquiry screen**.

Select the template through **Template Inquiry Popup** when creating the community. Community administrator shall designate it through **User Inquiry Popup** screen.

### Related Codes

N/A

### Screen and execution manual

Action	URL	Controller method	QueryID
Register	/cop/cmy/addCmmntyInf.do	addCmmntyInf	
Registration Screen	/cop/cmy/insertCmmntyInf.do	insertCmmntyInf	"CommunityManageDAO.insertCommunityInf"

커뮤니티 생성

커뮤니티 명 *	<input type="text"/>
커뮤니티 소개 *	<input type="text"/>
템플릿 정보 *	<input type="text"/>
커뮤니티 관리자 *	<input type="text"/>

Register: save the entered community information.

List: move to **Community List** screen.

### Community Detail Inquiry

#### Business Rule

Click the community list to move to the page for inquiring the relevant community information in details.

#### Related Codes

N/A

#### Screen and execution manual

Action	URL	Controller method	QueryID
Detail Inquiry	/cop/cmy/selectCmmntyInf.do	selectCmmntyInf	"CommunityManageDAO.selectCommunityInfs"

커뮤니티 정보조회

커뮤니티 명	동호회A
커뮤니티 소개	강한친구들의 동호회
템플릿 정보	기본 템플릿
게시판 정보	일반게시판 자유게시판 방명록
사용여부	Y
생성자	박길동
생성일시	2007-06-25

소속동호회

번호	동호회명	등록일	사용여부
1	식도락 동호회	2009-01-22	사용
2	장비동호회	2009-01-22	사용
3	육아동호회	2009-01-22	사용중지

Update: select the **Update** button to change the property information of community.  
 List: select the **List** button to inquire the list again.

## Community Update

### Business Rule

Press the Update button after entering the information that can be changed in community property information, and property information of community is changed. When change is successfully completed, move to **Community List Inquiry screen**.

### Related Codes

N/A

### Screen and execution manual

Action	URL	Controller method	QueryID
Update screen	/cop/cmy/forUpdateCmmntyInf.do	forUpdateCmmntyInf	
Upate	/cop/cmy/updtCmmntyInf.do	updtCmmntyInf	"CommunityManageDAO.updateCommunityInf"

**커뮤니티 정보수정**

<b>커뮤니티 명 *</b>	<input type="text"/>		
<b>커뮤니티 소개 *</b>	<input type="text"/>		
<b>게시판 정보</b>	<input type="checkbox"/> 일반게시판 <input type="checkbox"/> 자유게시판 <input type="checkbox"/> 방명록		
<b>템플릿 정보 *</b>	<input type="text"/>	<input type="button" value="🔍"/>	<b>커뮤니티 관리자 *</b> <input type="text"/>
<b>사용여부 *</b>	Y: <input type="radio"/> N: <input type="radio"/>		
<b>생성자</b>	박길동	<b>생성일시</b>	2007-06-25

List: select the List button to inquire the list again.  
 Update: save the entered community information.

## Template Inquiry Popup

### Business Rule

Provide the popup list inquiry screen for designating the template when creating the community or revising the information.

### Related Codes

N/A

### Screen and execution manual

Action	URL	Controller method	QueryID
Popup list inquiry	/cop/tpl/selectTemplateInfsPop.do	selectTemplateInfsPop	"TemplateManageDAO.selectTemplateInfs",
			"TemplateManageDAO.selectTemplateInfsCnt"

템플릿 목록
--선택하세요--

조회

번호	템플릿명	템플릿구분	템플릿경로	사용여부	등록일자	선택
1	게시판 기본템플릿	게시판템플릿	./egovbbsTemplate.jsp	사용	2009-03-12	<a href="#">선택</a>
2	게시판 기본템플릿2	게시판템플릿	./egovbbsTemplate2.jsp	사용	2009-03-12	<a href="#">선택</a>
3	게시판 기본템플릿3	게시판템플릿	./egovbbsTemplate3.jsp	사용	2009-03-12	<a href="#">선택</a>
4	게시판 기본템플릿3	게시판템플릿	./egovbbsTemplate3.jsp	사용	2009-03-12	<a href="#">선택</a>

1

[닫기](#)

## User Inquiry Popup

### Business Rule

Provide the user list inquiry popup screen for designating the administrator when creating the community or revising the information.

### Related Codes

N/A

### Screen and execution manual

Action	URL	Controller method	QueryID
Popup list inquiry	/cop/com/selectCmmntyUserList.do	selectCmmntyUserList	"EgovUserInfManageDAO.selectCmmntyUserList"

사용자 목록
--선택하세요--

조회

번호	사용자아이디	사용자명	주소	이메일	사용여부	선택
1	USR	업무담당자		egov@mopas.go.kr	사용	<a href="#">선택</a>

1

[닫기](#)



## Reference

- See attachment file upload: [File Management](#)