

EhCache Configuration Code Gen

Summary

The “ Ehcache Configuration” can be easily prepared by using Code Generation.


Description

For description on eGovFrame EhCache Configuration, refer to the following execution environment guide.


- [Execution Environment Cache Configuration Guide](#)

Manual


1. Show Template : Select Window>Show View>eGovFrame Templates.



2. Select the template of configuration to prepare.



3. On the screen UI, enter the needed items and click Finish button.



4. Check the created configuration file.

The screenshot shows a code editor window titled "context-cache.xml" displaying XML configuration code. The code defines a Spring bean named "ehcache" of type "org.springframework.cache.ehcache.EhCacheFactoryBean". It includes a "cacheManager" property with a nested "EhCacheManagerFactoryBean" and a "configLocation" property set to "classpath:/egovframework/spring/ehcache-default.xml". The "Design" tab is selected at the bottom of the editor.

```
<?xml version="1.0" encoding="UTF-8"?>
<beans xmlns="http://www.springframework.org/schema/beans"
       xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
       xsi:schemaLocation="http://www.springframework.org/schema/beans http://www.springframework.org/schema/bea
       <bean id="ehcache" class="org.springframework.cache.ehcache.EhCacheFactoryBean">
         <property name="cacheManager">
           <bean class="org.springframework.cache.ehcache.EhCacheManagerFactoryBean">
             <property name="configLocation" value="classpath:/egovframework/spring/ehcache-default.xml"/>
           </bean>
         </property>
       </bean>
     </beans>
```