Mobile Common Component

Summary

This guide discusses a Creation Wizard for installing 30 Mobile Components such as boards, communities and online participation ported from existing web common components in the eGovFrame and 10 types of Mobile Common Components

Description

This tool provides the Mobile Common Component Creation Wizard for mobile projects based on eGovFrame. The wizard offers a feature to copy related files, database setting and create tables for mobile common component.

Manual

Creating Mobile Common Component

Mobile Common Component Creation Wizard

1. Select File > New > eGovFrame Mobile Common Component from Menu bar. (Only if the Mobile IDE is updated and Perspective is set to eGovFrame.)

🞯 eGovFrame - Eclipse		
<u>File E</u> dit <u>S</u> ource Refact <u>f</u> or <u>N</u> avigate Sea	arch <u>P</u> roject	<u>B</u> un e <u>G</u> ovFrame <u>W</u> indow <u>H</u> elp
New	Alt+Shift+N	🕨 🏰 Java Project
Open File _{**} ,		📸 Dynamic Web Project
Close	Ctrl+W	🐸 Maven Project
Cjose All	Ctrl+Shift+W	😂 e GovFrame Core Project
Save .	CtM+S	📑 😫 eGovFrame Template Project
H Save As	ouro	😭 e GovFrame Web Project
R Save All	Ctrl+Shift+S	😭 eGovFrame Mobile Project
Revert		👸 eGovFrame Mobile Template Project
Mour		Project
Bename	F2	🔐 Package
a) Refresh	F5	🞯 Class
Convert Line Delimiters To		 Of Interface
- Be Brint	Chief	🐨 🕼 Enum
C 1000	Curri	Annotation
Switch Workspace		🕨 😂 Folder
fiestart		📑 File
🚵 Jmport,		CSS File
🛃 Exp <u>o</u> rt		JSP File
Properties	Alt+Enter	
		W Spring Bean Configuration File
<u>I</u> Sample Controller, Java [egov, testub),] 2 Suptavlacenetics TestCode is: a[com	1	E Junit Test Case
2 Syntaxinspection TestCode java [com,]] 31 opicalInspectionTestCode java [com,]]		Eg Junit Test Suite
4 ReferenceInspection TestCode.java [c]		😭 edovrrame Common Component
		ina sqiMapConiig III aaMaa
		📾 s GovEranos Mabile Common Component
pom,×ml		and a partial matching common component
🖻 🗁 Servers		Ē ^o E⊻ample
		Ctrl+N

Or you can select eGovFrame > Implementation > Add Mobile Common Component. (Only if the Mobile IDE is updated and Perspective is set to eGovFrame)



Otherwise, use Ctrl+N key combo to launch a New Wizard dialog, select eGovFrame > eGovFrame Mobile Common Component, and click the Next button.

O New	
Select a wizard	
<u>W</u> izards:	
type filter text	
🕀 🗁 General	
🖻 🗁 AmaterasUML	
E- > AspectJ	
E-B Connection Profiles	
H 🗁 UVS	
i ⊞- 🧀 eGevErame	
	ALC: NO.
SelowFrame Mobile Project	
eGovFrame Mobile Template Project	
E-B EJB	
È-⊖ Example EMF Model Creation Wizards	
і́в- 👝 Бгооуу	-1
A Hack Maut &	Einish Carcal
V Tarx Test	Cancer

2. Select a target project based on eGovFrame, and click the Next button.



3. Select the desired Common Component, and click the Next button.



4. Check the table info, and select table creation type. (For default installation, just click the Finish button.)

Add Mobile Common	Component (1.0)	
elect Table Creation I이블 생성 타입을 선택하	Г уре [시오.	G
Fable Into		
Cammon Companent	Table Name	
모바일 공통	COMTECOPSED, COMTCC	MMNCLCODE, CO,
인증서로그인/ 일반로	COMTECOPSEQ, COMTCCI	MMNCLCODE, CO
게시판	COMTECOPSED, COMTNTI	MPLATINEO, COMT
멋글관리	COMTECOPSED, COMTNTI	MPLATINED, COMT
스크랩기능	COMTECOPSED, COMTNR	ESTDE, COMTNSC.
Select Table Creation Ty 한 생성하지 않음(기본설치	pe Description	지 않고 소스만 생성합니다. 🖃
) 사용자 DB에 생성(사용	자지경)	z

.

✓ Note: Common component supports 4 types of databases (MySql, Oracle, Tibero and Altibase). In order to use other types of DB, change <u>Data</u>source setting and update sql command to work with specified DB.

5. Select the DB info from registered users in the Datasource Explorer, run connection test and create table, and click the Finish button. (Available only when the user-defined option is selected for "Select Table Creation Type" in the previous page.)

Mobile			
Select DB - I			
Datasource			
DBType:	mysql		<u>-</u>
Driver Class Name:	com, mys	aql, jdbc, Driver	
UBL	lidbe 'mus	al ://localbost:3916/d	atabasa
Une Une	Jacobile Incobile	sqr yyr bean roshobdol e	14(0)000
User Name:	Imabile		
Password:		****	
			Connection Test Create Table
Crocto Tobla			
Create Fable		T	
Table Name		Table Install Result	
COMTECOPSEQ	ODE	Prepared	그마일 중품, 인동세도그
CONTECMMNEE	DE	Prepared	모바일 공통 인증시로그
		Prepared	모바일 공동, 인증서로그
COMTCOMMINCOL	LALCODE	D I	미니아 교통 이즈시키기
COMTCOMMILCO	ROUPIN	Prepared	포마클 ㅎㅎ, 한ㅎ까도그 🜼
COMTCOMMUNE COMTCOMMUNE COMTNAUTHORGI COMTNORGNZTIN	ROUPIN	Prepared Prepared	모바일 공통, 인증서로그
COMTCCMMINEO COMTCCMMINET COMTNAUTHORGI COMTNORGNZTIN COMTNFILE	IALCODE ROUPIN IFO	Prepared Prepared Prepared	모바일 공동, 인증서로그 모바일 공동, 인증서로그 모바일 공동, 인증서로그
COMTCCMMNDET COMTNAUTHORGI COMTNORGNZTIN COMTNFILE COMTNFILEDETAI	I ALCODE ROUPIN, IFO L	Prepared Prepared Prepared Prepared	모바일 공동, 인증서로그 모바일 공동, 인증서로그 모바일 공동, 인증서로그 모바일 공동, 인증서로그
COMTREMINED COMTRAUTHORGI COMTRAUTHORGI COMTRELE COMTRELE COMTRELEDETAI COMTRELEDETAI	IFALCODE ROUPIN IFO L	Prepared Prepared Prepared Prepared Prepared	모바일 공동, 인증서로그 모바일 공동, 인증서로그 모바일 공동, 인증서로그 모바일 공동, 인증서로그 인증서로그인/ 일반로그
COMTRCMMINDET COMTINAUTHORGI COMTINORGNZTIN COMTINFILE COMTINFILEDETAI COMTINGNRLMBE COMTINEMPLYRIN	IFO	Prepared Prepared Prepared Prepared Prepared Prepared	모바일 공동, 인증세로그 모바일 공동, 인증세로그 모바일 공동, 인증세로그 모바일 공동, 인증세로그 인증세로그인/일반로그 민증세로그인/일반로그

Customize Table Creation Page

Options	Description	Default
Select DB	Fetch User DB Info registered in Datasource Explorer	Empty or refer to globals.properties within the project

✓ Note: If there isn't any existing eGovFrame based mobile project, close the Wizard and create a new mobile project. <u>(Create a mobile project based on</u> eGovFrame)

✓ Note: If the default installation is selected, sources are created only without any table. If user-defined option is selected, create a table upon selected DB from the registered info in the Datasource Explorer.

✓ Note: If there isn't any registered DB info in the Datasource Explorer, close the Wizard and the register user DB info in the Datasource Explorer. (Data Source Explorer)



[✓] Note: Other than 4 types of supported DB (MySql, Oracle, Tibero and Altibase), user must create a table in the DB in the Datasource Explorer after default installation.

Configure Mobile Common Component

 $[\]boldsymbol{\checkmark}$ Note: Existing mobile component will be overwritten when modified.

[✓] Note: Server Path should be set default ("/") to retrieve sub items after mobile common component installation.

[✓] Note: If Maven installation failed after mobile common component installation, 3rd party libraries should be installed separately.

1. Right click on eGovFrame-based Mobile Project with mobile common component installed, then select Properties > eGovFrame > Mobile Common Component.

pe filter text	Mobile Common Component	¢ • - • •
B. Resource Builders Coverage Deployment Assembly GeovFrame Mobile Common Component Nexus FindBugs Java Build Path Java Code Style Java Code Style Java Editor Java Editor Java Editor JavaGorpt Jose Editor JavaGorpt Jose Editor Server Service Policies Spring Targeted Runtimes Task Repository Task Tags Validation Web Content Settings	설치된 모바일 공동컴포넌트에 대한 설정을 관리합니다. OS Type Setting 운영체제 유형: WINDOWS ▼ Note: Windows와 Unix를 지원하며 파일 작업시 사용되는 기능입니다. Main Page Setting 메인페이지: [7/index Note: 모바일 공동컴포넌트가 설치된 아플리케이션 설행 시 로그인 미후 보 IP Setting G4C 연광을 IP: [192.160.200.21	여지는 화면입니다.
	Note: 54C 215522 ABSTE IPZLILF. Database Setting Select DB: Mobile Database DBR&: mysql Driver Class%: com.mysql.jdbc.Driver URL: jdbc:mysql://localhost:3306/database	۲ ۲
	Password:	Connection Test
- Web Page Editor - Web Project Settings - WikiText R: XDoclet		04 0.000

Mobile Common Component Page

Options	Description	Default
OS Type	Select a User's OS	Refer to globals.properties in new project created with the mobile
		common component installation.
Main page	Displays an intro page for selected mobile common component	Refer to globals.properties in new project created with the mobile common component installation.
G4C Connect	Displays IP for G4C verification	Refer to globals.properties in new project created with the mobile common component installation.
Select DB	Selected DB info for mobile common component installation from registered user DBs in Datasource Explorer.	Empty or Refer to globals.properties in new project created with the mobile common component installation.

 Note: If Select DB is empty, check Datasource Explorer. (Refer to the <u>Data Source Explorer</u>)
 Note: Other than supported 4 types of DB (MySql, Oracle, Tibero and Altibase), Mobile Common Component Configuration Tool doesn't manage registered DBs in the Datasource Explorer.

References

Link Page URL for New Mobile Common Components

Component NameLink Page URLRealtime notice service/mbl/com/rns/goRealtimeNoticeMsg.mdo, /mbl/com/rns/goRealtimeNoticeList.mdoMobile device identification/mbl/com/mdi/selectMobileDeviceIdent.mdo, /mbl/com/mdi/selectDeviceIdentList.mdoSync service/mbl/com/syn/goMobileSyncList.mdo, /mbl/com/syn/selectSyncList.mdoOffline web service/mbl/com/ows/goMobileOfflineWebList.mdo, /mbl/com/ows/selectOfflineWebList.mdoLocation Service/mbl/com/geo/selectMobileBuildingLocationInfoPublicList.mdo, /mbl/com/geo/selectMobileBuildingLocationInfoPublicList.mdoMobile Photo Album/mbl/com/mpa/selectMobilePhotoList.mdo, /mbl/com/mpa/selectPhotoList.mdoMobile Chart/Graph/mbl/com/mcg/selectMobilePhotoList.mdo, /mbl/com/mcg/selectC hartGraphList.mdoMultimedia control/mbl/com/mlt/selectMobileMultimediaList.mdo, /mbl/com/mlt/selectMultimediaList.mdoOPEN-API Connect Services/mbl/com/mtt/selectMobileMultimediaList.mdo, /mbl/com/mtt/selectMultimediaList.mdoMMS services/mbl/com/mtt/selectMobileMultimediaList.mdo, /mbl/com/mtt/selectMultimediaList.mdo		
Realtime notice service/mbl/com/rns/goRealtimeNoticeMsg.mdo, /mbl/com/rns/goRealtimeNoticeList.mdoMobile device identification/mbl/com/mdi/selectMobileDeviceIdent.mdo, /mbl/com/mdi/selectDeviceIdentList.mdoSync service/mbl/com/syn/goMobileSyncList.mdo, /mbl/com/syn/selectSyncList.mdoOffline web service/mbl/com/ows/goMobileOfflineWebList.mdo, /mbl/com/ows/selectOfflineWebList.mdoLocation Service/mbl/com/geo/selectMobileBuildingLocationInfoPublicList.mdo, /mbl/com/geo/selectMobileBuildingLocationInfoPublicList.mdoMobile Photo Album/mbl/com/mpa/selectMobilePhotoList.mdo, /mbl/com/mpa/selectPhotoList.mdoMobile Chart/Graph/mbl/com/mcg/selectMobileChartGraphList.mdo, /mbl/com/mcg/selectChartGraphList.mdoMultimedia control/mbl/com/mlt/selectMobileMultimediaList.mdo, /mbl/com/mlt/selectMultimediaList.mdoOFEN-API Connect Service/mbl/com/mts/selectMobileMultimediaList.mdo, /mbl/com/mts/selectMultimediaList.mdoMMS services/mbl/com/mms/goMmsWrite.mdo, /mbl/com/mms/selectMultimediaList.mdo	Component Name	Link Page URL
Mobile device identification/mbl/com/mdi/selectMobileDeviceIdent.mdo, /mbl/com/mdi/selectDeviceIdentList.mdoSync service/mbl/com/syn/goMobileSyncList.mdo, /mbl/com/syn/selectSyncList.mdoOffline web service/mbl/com/ows/goMobileOfflineWebList.mdo, /mbl/com/ows/selectOfflineWebList.mdoLocation Service/mbl/com/geo/selectMobileBuildingLocationInfoPublicList.mdo, /mbl/com/geo/selectMobileBuildingLocationInfoPrivateList.mdoMobile Photo Album/mbl/com/mpa/selectMobilePhotoList.mdo, /mbl/com/mpa/selectPhotoList.mdoMobile Chart/Graph/mbl/com/mcg/selectMobileChartGraphList.mdo, /mbl/com/mcg/selectChartGraphList.mdoMultimedia control/mbl/com/mlt/selectMobileMultimediaList.mdo, /mbl/com/mlt/selectMultimediaList.mdoOPEN-API Connect Service/mbl/com/mts/selectMobileMultimediaList.mdo, /mbl/com/mts/selectMultimediaList.mdoMMS services/mbl/com/mms/goMmsWrite.mdo, /mbl/com/mms/selectMultimediaList.mdo	Realtime notice service	/mbl/com/rns/goRealtimeNoticeMsg.mdo, /mbl/com/rns/goRealtimeNoticeList.mdo
Sync service/mbl/com/syn/goMobileSyncList.mdo, /mbl/com/syn/selectSyncList.mdoOffline web service/mbl/com/ows/goMobileOfflineWebList.mdo, /mbl/com/ows/selectOfflineWebList.mdoLocation Service/mbl/com/geo/selectMobileBuildingLocationInfoPublicList.mdo, /mbl/com/geo/selectMobileBuildingLocationInfoPublicList.mdo, /mbl/com/geo/selectMobileBuildingLocationInfoPublicList.mdoMobile Photo Album/mbl/com/mpa/selectMobilePhotoList.mdo, /mbl/com/mpa/selectPhotoList.mdoMobile Chart/Graph/mbl/com/mcg/selectMobileChartGraphList.mdo, /mbl/com/mcg/selectChartGraphList.mdoMultimedia control/mbl/com/mlt/selectMobileMultimediaList.mdo, /mbl/com/mlt/selectMultimediaList.mdoOPEN-API Connect Service/mbl/com/mts/selectMobileMultimediaList.mdo, /mbl/com/mts/selectMultimediaList.mdoMMS services/mbl/com/ms/goMmsWirte.mdo, /mbl/com/ms/selectMusTransResultList.mdo	Mobile device identification	/mbl/com/mdi/selectMobileDeviceIdent.mdo, /mbl/com/mdi/selectDeviceIdentList.mdo
Offline web service /mbl/com/ows/goMobileOfflineWebList.mdo, /mbl/com/ows/selectOfflineWebList.mdo Location Service /mbl/com/geo/selectMobileBuildingLocationInfoPublicList.mdo, /mbl/com/geo/selectMobileBuildingLocationInfoPrivateList.mdo Mobile Photo Album /mbl/com/mpa/selectMobilePhotoList.mdo, /mbl/com/mpa/selectPhotoList.mdo Mobile Chart/Graph /mbl/com/mcg/selectMobileC hartGraphList.mdo, /mbl/com/mcg/selectC hartGraphList.mdo Multimedia control /mbl/com/mlt/selectMobileMultimediaList.mdo, /mbl/com/mlt/selectMultimediaList.mdo OPEN-API Connect Service /mbl/com/ms/goMmsWrite.mdo, /mbl/com/mms/selectMultimediaList.mdo	Sync service	/mbl/com/syn/goMobileSyncList.mdo, /mbl/com/syn/selectSyncList.mdo
Location Service /mbl/com/geo/selectMobileBuildingLocationInfoPublicList.mdo, /mbl/com/geo/selectMobileBuildingLocationInfoPrivateList.mdo Mobile Photo Album /mbl/com/mpa/selectMobilePhotoList.mdo, /mbl/com/mpa/selectPhotoList.mdo Mobile Chart/Graph /mbl/com/mcg/selectMobileC hartGraphList.mdo, /mbl/com/mcg/selectC hartGraphList.mdo Multimedia control /mbl/com/mlt/selectMobileMultimediaList.mdo, /mbl/com/mlt/selectMultimediaList.mdo OPEN-API Connect Service /mbl/com/msk/opMmsWirte.mdo, /mbl/com/mms/selectMultimediaList.mdo MMS services /mbl/com/msk/opMmsWirte.mdo, /mbl/com/mms/selectMultimediaList.mdo	Offline web service	/mbl/com/ows/goMobileOfflineWebList.mdo, /mbl/com/ows/selectOfflineWebList.mdo
Mobile Photo Album /mbl/com/mpa/selectMobilePhotoList.mdo, /mbl/com/mpa/selectPhotoList.mdo Mobile Chart/Graph /mbl/com/mcg/selectMobileC hartGraphList.mdo, /mbl/com/mcg/selectC hartGraphList.mdo Multimedia control /mbl/com/mlt/selectMobileMultimediaList.mdo, /mbl/com/mlt/selectMultimediaList.mdo OPEN-API Connect Service /mbl/com/mlt/selectMobileMultimediaList.mdo, /mbl/com/mlt/selectMultimediaList.mdo MMS services /mbl/com/ms/goMmsWrite.mdo, /mbl/com/mms/selectMmsTransResultList.mdo	Location Service	$\label{eq:mbl/com/geo/selectMobileBuildingLocationInfoPublicList.mdo, /mbl/com/geo/selectMobileBuildingLocationInfoPrivateList.mdo \label{eq:mbl/com/geo/selectMobileBuildingLocationInfoPrivateList.mdo} eq:mbl/com/geo/selectMobileBuildingLocationInfoPrivateList.m$
Mobile Chart/Graph /mbl/com/mcg/selectMobileC hartGraphList.mdo, /mbl/com/mcg/selectC hartGraphList.mdo Multimedia control /mbl/com/mlt/selectMobileMultimediaList.mdo, /mbl/com/mlt/selectMultimediaList.mdo OPEN-API Connect Service /mbl/com/mlt/selectMobileMultimediaList.mdo, /mbl/com/mlt/selectMultimediaList.mdo MMS services /mbl/com/mms/goMmsWrite.mdo, /mbl/com/mms/selectMustransResultList.mdo	Mobile Photo Album	/mbl/com/mpa/selectMobilePhotoList.mdo, /mbl/com/mpa/selectPhotoList.mdo
Multimedia control /mbl/com/mlt/selectMobileMultimediaList.mdo, /mbl/com/mlt/selectMultimediaList.mdo OPEN-API Connect Service /mbl/com/mlt/selectMobileMultimediaList.mdo, /mbl/com/mlt/selectMultimediaList.mdo MMS services /mbl/com/mms/goMmsWrite.mdo, /mbl/com/mms/selectMusTransResultList.mdo	Mobile Chart/Graph	/mbl/com/mcg/selectMobileC hartGraphList.mdo, /mbl/com/mcg/selectC hartGraphList.mdo
OPEN-API Connect Service /mbl/com/mlt/selectMobileMultimediaList.mdo, /mbl/com/mlt/selectMultimediaList.mdo MMS services /mbl/com/mms/aoMmsWrite.mdo, /mbl/com/mms/selectMmsTransResultList.mdo	Multimedia control	/mbl/com/mlt/selectMobileMultimediaList.mdo, /mbl/com/mlt/selectMultimediaList.mdo
MMS services /mbl/com/mms/goMmsWrite.mdo, /mbl/com/mms/selectMmsTransResultList.mdo	OPEN-API Connect Service	/mbl/com/mlt/selectMobileMultimediaList.mdo, /mbl/com/mlt/selectMultimediaList.mdo
,,, ,, ,, ,, ,, ,, ,, ,, b) barbar and barbar and barbar and barbar	MMS services	/mbl/com/mms/goMmsWrite.mdo, /mbl/com/mms/selectMmsTransResultList.mdo