Web Resources

Outline

A Phonegap Project utilizes the commonly available web resources (HTML5, CSS, JavaScript) in implementation of mobile hybrid applications. The web resources are reusable regardless of type of the device. Once the platform container (iOS, Android, etc.) is established, you can develop the web resources using HTML5, JavaScript, CSS, etc.

Concept

Title		Position (Parenthesis refers to Android Only)	Description
Phone ap	G 4.3 0		The runtime environment of eGovFramework Device API uses the object Javas cript and provides API to access the device. Web Application accesses the device resource by way of Web App.
EgovH brid	^{[y} 1.0	(assets/www/js/egovfra mework/mbl/cmm/Ego vHybrid.js)	
EGov omMo uleAPI	d 1.0	www/js/egovframewor k/mbl/cmm/EGovCom Module.js	Runtime environment for Wionile et overamework for common lavascrint oniect
Egovl obile	M 1.4 5	(assets/)www/js/egovfr amework/mbl/cmm/Eg ovMobile-1.4.5.js	Common JavaScript functions for Mobile eGovFramework that are used for the functions actionsheet, alert, overlay, prompt, confirm dialog, etc.
jQuery		l ery-1.11.2.js	When dynamic display control, change of design using CSS or use of animatio n is required in the course of web development, low-level JavaScript coding w ould suffocate you. Use of jQuery in such a situation would thus be a wiser o
jQuery Mobile		(assets/)www/js/egovfr amework/mbl/cmm/jqu . ery.mobile-1.4.5.js (asset/)www/js/egovfra mework/mbl/cmm/jque ry.mobile-1.4.5.min.js	Being a user interface framework, jQuery mobile features simplified interface of jQuery for use in development of mobile applications.
json2	1.0	(assets/)www/js/egovfr amework/mbl/cmm/jso n2.js	

Moderni 2.0. (assets/)www/js/egovfr A JavaScript Library intended to verify availability of functions such as HTML

Description

PhoneGap

PhoneGap provides API to access the device using Javascript objects in cordova.js. Web Application accesses the device resource by way of Web App.

Composition Description

Accelerometer Utilizes motion sensor of the device

Camera Shoots photo

Capture Captures media file

Compass Compass information

Connection Verifies network status and provides cellular network information

Contacts Recording contacts

Device Provides specific information to the device

Events Hooks the events using JavaScript

File File services

Geolocation Geolocation information

Media Recording and playing audio

Notification Notification

Storage Inquiry of storage information

Visit http://docs.phonegap.com/en/4.0.0/index.html for more information.

EgovHybrid

Runtime environment for Mobile eGovFramework for common JavaScript objects and functions for hybrid mobile application.

EgovHybrid.js

Function Description

backKeyDown Configuration for termination of Application using Back Key

sleep Function intended to stop progression of scripts

fn_Confirm3G Calls in-app alert of charging for 3G connection

loaded iScroll setting

EgovInterface.prototype.get Http GET Method function.

EgovInterface.prototype.post Http POST Method function.

EgovInterface.prototype.geturl GET URL function.

StorageInfo Plug-in JavaScript Object to refer to Storage Information

DeviceNumber Plug-in JavaScript Object to refer to Device Number Information

EGovComModuleAPI

Runtime environment for Mobile eGovFramework for common JavaScript objects and functions for hybrid mobile application.

EGovComMobuleAPI.js

Function	Description
----------	-------------

EgovInterface Http POST Method function.

StorageInfo Plug-in JavaScript Object to refer to Storage Information

fn_egov_network_notification Alerts functions notifying the device network information

EgovMobile-1.4.5

Common JavaScript functions for Mobile eGovFramework that are used for the functions actionsheet, alert, overlay, prompt and confirm dialog.

Visit

http://www.egovframe.org/wiki/doku.php?id=egovframework:mrte:ux_ui:ux_ui_controller_compone nt for more information.

jQuery

When dynamic display control, change of design using CSS or use of animation is required in the course of web development, low-level JavaScript coding would suffocate you. Use of jQuery in such a situation would thus be a wiser option.

Visit http://docs.jquery.com/Main_Page for more information.

jQuery Mobile

Being a user interface framework, jQuery mobile features simplified interface of jQuery for use in development of mobile applications.

Visit http://jquerymobile.com/demos/1.4.5/ for more information.

json2

A JavaScript intended to convert a text-type json into an object-type json, and vise versa. Visit http://www.json.org/js.html for more information.

Modernizr

A JavaScript Library intended to verify availability of functions such as HTML5 and CSS3. Visit http://modernizr.com/docs/ for more information.

References

Title Link

Mobile Runtime Environmen http://www.egovframe.org/wiki/doku.php?id=egovframework:mrte:ux ui:ux ui controller

component

PhoneGap 4.3.0 Download http://phonegap.com/download

PhoneGap Developing a Plu http://docs.phonegap.com/en/3.3.0/guide plugin-development ios index.md.html#Developi

 $\underline{ng\%20a\%20Plugin\%20on\%20iOS}$

PhoneGap 4.3.0 Documents http://docs.phonegap.com/en/4.0.0/index.html

jQuery <u>http://jquery.com</u>

jQuery Mobile http://jquerymobile.com

json2 <u>http://www.JSON.org</u>

Modernizr http://www.modernizr.com